

# REPLACEMENT PARTS SUITABLE FOR PRIMA POWER®



HG 10.361-372



HG 10.446-452

Standard copper nozzels

Part No.	Ref. No.	Description	Std. Pkg.	Part No.	Ref. No.	Description	Std. Pkg.
HG10.376	490.76.102	"Teach" Nozzle 0,3 mm	1 pc	HG10.445	HG10.445	"Teach" Nozzle 0,3 mm	1 pc
HG10.361	485.73.114D	Nozzle 1,0 mm	10 pcs	HG10.446	HG10.446	Nozzle 1,0 mm	10 pcs
HG10.362	485.73.114A	Nozzle 1,2 mm	10 pcs	HG10.447	HG10.447	Nozzle 1,2 mm	10 pcs
HG10.363	485.73.114C	Nozzle 1,5 mm (485.73.321)	10 pcs	HG10.448	HG10.448	Nozzle 1,5 mm	10 pcs
HG10.364	485.73.114B	Nozzle 1,7 mm	10 pcs	HG10.449	HG10.449	Nozzle 1,7 mm	10 pcs
HG10.370	485.73.114E	Nozzle 2,0 mm (485.73.322)	10 pcs	HG10.450	HG10.450	Nozzle 2,0 mm	10 pcs
HG10.371	485.73.114F	Nozzle 2,5 mm (485.73.323)	10 pcs	HG10.451	HG10.451	Nozzle 2,5 mm	10 pcs
HG10.372	485.73.114G	Nozzle 3,0 mm (485.73.324)	10 pcs	HG10.452	HG10.452	Nozzle 3,0 mm	10 pcs



HG 10.365-373

Part No.	Ref. No.	Description	Std. Pkg.	Part No.	Ref. No.	Description	Std. Pkg.
HG10.377	490.76.103	"Teach" Nozzle 0,3 mm conical	1 pc	HG11.365	HG11.365	Nozzle 1,0 mm	10 pcs
HG10.365	485.73.115B	Nozzle 1,0 mm	10 pcs	HG11.366	HG11.366	Nozzle 1,2 mm	10 pcs
HG10.366	485.73.115D	Nozzle 1,2 mm	10 pcs	HG11.367	485.73.451	Nozzle 1,5 mm	10 pcs
HG10.367	485.73.115A	Nozzle 1,5 mm (485.73.331)	10 pcs	HG11.368	HG11.368	Nozzle 1,7 mm	10 pcs
HG10.368	485.73.115E	Nozzle 1,7 mm	10 pcs	HG11.369	485.73.452	Nozzle 2,0 mm	10 pcs
HG10.369	485.73.115C	Nozzle 2,0 mm (485.73.333)	10 pcs	HG11.373	485.73.453	Nozzle 2,5 mm	10 pcs
HG10.373	485.73.115F	Nozzle 2,5 mm	10 pcs				



HG 10.545-383



HG 10.454-457



HG 10.541-544

Part No.	Ref. No.	Description	Std. Pkg.	Part No.	Ref. No.	Description	Std. Pkg.
HG10.545	HG10.545	Nozzle 1,0 mm	1 pc	HG10.454	LW6.1G.600	Nozzle 1,5 mm	10 pcs
HG10.546	HG10.546	Nozzle 1,2 mm	10 pcs	HG10.455	LW6.1G.601	Nozzle 2,0 mm	10 pcs
HG10.380	LW6.1E.111	Nozzle 1,5 mm	10 pcs	HG10.456	LW6.1G.602	Nozzle 2,5 mm	10 pcs
HG10.381	LW6.1E.112	Nozzle 2,0 mm	10 pcs	HG10.457	LW6.1G.603	Nozzle 3,0 mm	10 pcs
HG10.547	HG10.547	Nozzle 2,3 mm	10 pcs	HG10.541	750.42.550	Nozzle 1,5 mm Domino	10 pcs
HG10.382	LW6.1E.113	Nozzle 2,5 mm	10 pcs	HG10.542	750.42.551	Nozzle 2,0 mm Domino	10 pcs
HG10.383	LW6.1E.114	Nozzle 3,0 mm	10 pcs	HG10.543	750.42.552	Nozzle 2,5 mm Domino	10 pcs
				HG10.544	750.42.553	Nozzle 3,0 mm Domino	10 pcs

PRIMA POWER® is the Registered Trademark of Finn-Power Oy

**Last update of this page: 09/09/2013. See Revision history for details.**

**THERMACUT®**  
THE CUTTING COMPANY

WWW.THERMACUT.CZ  
TEL.: +420.556.423.418  
SALES@THERMACUT.CZ

WWW.THERMACUT.DE  
TEL.: +49 (0) 27 39 40 33 0  
INFO@THERMACUT.DE

WWW.THERMACUT.COM  
TEL.: 1-603-542-6715  
CUSTOMERSERVICE@THERMACUT.COM

THERMACUT IS IN NO WAY AFFILIATED WITH THE ABOVE-NAMED MANUFACTURERS. REFERENCES TO THE ABOVE-NAMED MACHINES, TORCHES, CONSUMABLES AND REFERENCE NUMBERS ARE FOR CONVENIENCE ONLY. MOST THERMACUT PARTS ARE MADE FOR OR BY AN IBG COMPANY. PARTS INDICATED WITH A \* ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT. THERMACUT RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT PARTS. VALID FROM MAY 2015 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2015 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

# REPLACEMENT PARTS SUITABLE FOR PRIMA POWER®



HG 11.380-383



HG 10.361/C-372/C



HG 10.446/C-452/C

Part No.	Ref. No.	Description	Std. Pkg.	Part No.	Ref. No.	Description	Std. Pkg.
HG11.380	HG11.380	Double Nozzle 1,2 mm	10 pcs	HG10.371/C	485.73.114F-CP	Nozzle 2,5 mm (485.73.423)	10 pcs
HG11.381	HG11.381	Double Nozzle 1,5 mm	10 pcs	HG10.372/C	485.73.114G-CP	Nozzle 3,0 mm (485.73.424)	10 pcs
HG11.382	HG11.382	Double Nozzle 2,0 mm	10 pcs	HG10.446/C	HG10.446CP	Nozzle 1,0 mm HCP	10 pcs
HG11.383	HG11.383	Double Nozzle 2,5 mm	10 pcs	HG10.447/C	HG10.447CP	Nozzle 1,2 mm HCP	10 pcs
HG10.361/C	485.73.114D-CP	Nozzle 1,0 mm	10 pcs	HG10.448/C	HG10.448CP	Nozzle 1,5 mm HCP	10 pcs
HG10.362/C	485.73.114A-CP	Nozzle 1,2 mm	10 pcs	HG10.449/C	HG10.449CP	Nozzle 1,7 mm HCP	10 pcs
HG10.363/C	485.73.114C-CP	Nozzle 1,5 mm (485.73.421)	10 pcs	HG10.450/C	HG10.450CP	Nozzle 2,0 mm HCP	10 pcs
HG10.364/C	485.73.114B-CP	Nozzle 1,7 mm	10 pcs	HG10.451/C	HG10.451CP	Nozzle 2,5 mm HCP	10 pcs
HG10.370/C	485.73.114E-CP	Nozzle 2,0 mm (485.73.422)	10 pcs	HG10.452/C	HG10.452CP	Nozzle 3,0 mm HCP	10 pcs



HG 10.365/C-373/C

Part No.	Ref. No.	Description	Std. Pkg.	Part No.	Ref. No.	Description	Std. Pkg.
HG10.365/C	485.73.115B-CP	Nozzle 1,0 mm	10 pcs	HG11.365/C	HG11.365CP	Nozzle 1,0 mm	10 pcs
HG10.366/C	485.73.115D-CP	Nozzle 1,2 mm	10 pcs	HG11.366/C	HG11.366CP	Nozzle 1,2 mm	10 pcs
HG10.367/C	485.73.115A-CP	Nozzle 1,5 mm (485.73.431)	10 pcs	HG11.367/C	485.73.451CP	Nozzle 1,5 mm	10 pcs
HG10.368/C	485.73.115E-CP	Nozzle 1,7 mm	10 pcs	HG11.368/C	HG11.368CP	Nozzle 1,7 mm	10 pcs
HG10.369/C	485.73.115C-CP	Nozzle 2,0 mm (485.73.433)	10 pcs	HG11.369/C	485.73.452CP	Nozzle 2,0 mm	10 pcs
HG10.373/C	485.73.115F-CP	Nozzle 2,5 mm	10 pcs	HG11.373/C	485.73.453CP	Nozzle 2,5 mm	10 pcs



HG 10.545/C-383/C



HG 10.454/C-457/C

Standard copper nozzels with chromium plating

Part No.	Ref. No.	Description	Std. Pkg.	Part No.	Ref. No.	Description	Std. Pkg.
HG10.545/C	485.73.452CP	Nozzle 1,0 mm HCP	10 pcs	HG10.383/C	LW6.1E.114CP	Nozzle 3,0 mm HCP	10 pcs
HG10.546/C	485.73.453CP	Nozzle 1,2 mm HCP	10 pcs	HG10.454/C	LW6.1G.500CP	Nozzle 1,5 mm HCP	10 pcs
HG10.380/C	LW6.1E.111CP	Nozzle 1,5 mm HCP	10 pcs	HG10.455/C	LW6.1G.501CP	Nozzle 2,0 mm HCP	10 pcs
HG10.381/C	LW6.1E.112CP	Nozzle 2,0 mm HCP	10 pcs	HG10.456/C	LW6.1G.502CP	Nozzle 2,5 mm HCP	10 pcs
HG10.547/C	HG10.547CP	Nozzle 2,3 mm HCP	10 pcs	HG10.457/C	LW6.1G.503CP	Nozzle 3,0 mm HCP	10 pcs
HG10.382/C	LW6.1E.113CP	Nozzle 2,5 mm HCP	10 pcs				

PRIMA POWER® is the Registered Trademark of Finn-Power Oy

**Last update of this page: 18/05/2015. See Revision history for details.**

**THERMACUT®**  
THE CUTTING COMPANY

WWW.THERMACUT.CZ  
TEL.: +420 556 423 418  
SALES@THERMACUT.CZ

WWW.THERMACUT.DE  
TEL.: +49 (0) 27 39 40 33 0  
INFO@THERMACUT.DE

WWW.THERMACUT.COM  
TEL.: 1-603-542-6715  
CUSTOMERSERVICE@THERMACUT.COM

THERMACUT IS IN NO WAY AFFILIATED WITH THE ABOVE-NAMED MANUFACTURERS. REFERENCES TO THE ABOVE-NAMED MACHINES, TORCHES, CONSUMABLES AND REFERENCE NUMBERS ARE FOR CONVENIENCE ONLY. MOST THERMACUT PARTS ARE MADE FOR OR BY AN IBG COMPANY. PARTS INDICATED WITH A \* ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT. THERMACUT RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT PARTS. VALID FROM MAY 2015 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2015 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

# REPLACEMENT PARTS SUITABLE FOR PRIMA POWER®



HG 10.541/C-544/C



HG 11.380/C-383/C

Domino copper nozzels with chromium plating

Part No.	Ref. No.	Description	Std. Pkg.	Part No.	Ref. No.	Description	Std. Pkg.
HG10.541/C	750.42.550CP	Nozzle 1,5 mm Domino HCP	10 pcs	HG11.380/C	1059.70000.008	Double Nozzle 1,2 mm HCP	10 pcs
HG10.542/C	750.42.551CP	Nozzle 2,0 mm Domino HCP	10 pcs	HG11.381/C	1059.70000.004	Double Nozzle 1,5 mm HCP	10 pcs
HG10.543/C	750.42.552CP	Nozzle 2,5 mm Domino HCP	10 pcs	HG11.382/C	1059.70000.005	Double Nozzle 2,0 mm HCP	10 pcs
HG10.544/C	750.42.553CP	Nozzle 3,0 mm Domino HCP	10 pcs	HG11.383/C	1059.70000.006	Double Nozzle 2,5 mm HCP	10 pcs

## LENSES SUITABLE FOR PRIMA POWER®

Part No.	Ref. No.	Description	Std. Pkg.	Part No.	Ref. No.	Description	Std. Pkg.
HG10.733/H	HG10.733/H	5,00" ZnSe Meniscus lens High pressure lens (42bar), 38,1mm Effective focal length: 127,0mm Edge thickness: 9,0 mm AR/AR for 10,6um (absorption <0.20%)	1pc	HG10.733/HU	HG10.733/HU	5,00" ZnSe Men. lens - ULTRA LOW High pressure lens (42bar), 38,1mm Effective focal length: 127,0mm Edge thickness: 9,0 mm AR/AR for 10,6um (absorption <0.15%)	1pc
HG10.734/H	HG10.734/H	7,50" ZnSe Meniscus lens High pressure lens (42bar), 38,1mm Effective focal length: 190,5mm Edge thickness: 9,0 mm AR/AR for 10,6um (absorption <0.20%)	1pc	HG10.734/HU	HG10.734/HU	7,50" ZnSe Men. lens - ULTRA LOW High pressure lens (42bar), 38,1mm Effective focal length: 190,5mm Edge thickness: 9,0 mm AR/AR for 10,6um (absorption <0.15%)	1pc
HG10.620/H	HG10.620/H	5,00" ZnSe Meniscus lens High pressure lens (28bar), 50,8mm Effective focal length: 127,0mm Edge thickness: 9,7 mm AR/AR for 10,6um (absorption <0.24%)	1 pc	HG10.620/HU	HG10.620/HU	5,00" ZnSe Men. lens - ULTRA LOW High pressure lens (28bar), 50,8mm Effective focal length: 127,0mm Edge thickness: 9,7 mm AR/AR for 10,6um (absorption <0.15%)	1pc
HG10.621/H	HG10.621/H	7,50" ZnSe Meniscus lens High pressure lens (28bar), 50,8mm Effective focal length: 190,5mm Edge thickness: 9,7 mm AR/AR for 10,6um (absorption <0.24%)	1 pc	HG10.621/HU	HG10.621/HU	7,50" ZnSe Men. lens - ULTRA LOW High pressure lens (28bar), 50,8mm Effective focal length: 190,5mm Edge thickness: 9,7 mm AR/AR for 10,6um (absorption <0.15%)	1 pc

## ACCESSORIES SUITABLE FOR PRIMA POWER®

Part No.	Ref. No.	Description	Std. Pkg.
HG10.174	HG10.174	Polish for laser optics, 100ml	1pc
HG10.173	HG10.173	Lens cleaning paper from Tiffen, sheet size 70x115mm	50pcs

PRIMA POWER® is the Registered Trademark of Finn-Power Oy

**Last update of this page: 09/09/2013. See Revision history for details.**

**THERMACUT®**  
THE CUTTING COMPANY

WWW.THERMACUT.CZ  
TEL.: +420.556.423.418  
SALES@THERMACUT.CZ

WWW.THERMACUT.DE  
TEL.: +49 (0) 27 39 40 33 0  
INFO@THERMACUT.DE

WWW.THERMACUT.COM  
TEL.: 1-603-542-6715  
CUSTOMERSERVICE@THERMACUT.COM

THERMACUT IS IN NO WAY AFFILIATED WITH THE ABOVE-NAMED MANUFACTURERS. REFERENCES TO THE ABOVE-NAMED MACHINES, TORCHES, CONSUMABLES AND REFERENCE NUMBERS ARE FOR CONVENIENCE ONLY. MOST THERMACUT PARTS ARE MADE FOR OR BY AN IBG COMPANY. PARTS INDICATED WITH A \* ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT. THERMACUT RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT PARTS. VALID FROM MAY 2015 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2015 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.